

Freckle + Lollie



RIBBON DANCE PILLOW

SKILL LEVEL: Advanced

CRAFTING TIME: Afternoon Project

COURTESY OF FRECKLE + LOLLIE

FOR MORE PROJECTS AND INSPIRATION PLEASE VISIT US ON OUR PARENT WEBSITE WWW.FABRICTRADITIONS.COM AND FOLLOW US ON INSTAGRAM @FABRIC_TRADITIONS

Freckle + Lollie



Supplies & Tools

- You will need the following 14 amounts of Maisie's Garden fabrics
 - 3/4 yards of pattern D60-A
 - 1/8 yards of pattern D58-A
 - 1/8 yard pattern D59-A
 - 1/8 yard pattern D61-G
 - 1/8 yard pattern D57-G
 - 1/8 yard pattern D62-G
 - 1/8 yard pattern D58-C
 - 1/4 yard pattern D62-A
 - 1/8 yard pattern D57-A
- 20" x 16" backing fabric
- 20" x 16" quilt batting
- 12" x 16" pillow insert
- Thread to match fabrics
- Sewing Machine
- Pencil, ruler, and template plastic, OR rotary cutter, mat and ruler
- Iron
- Scissors
- Pins and a sewing needle

COURTESY OF FRECKLE + LOLLIE




Directions

- From D60-A, cut one 16" x 18" rectangle and one 10" x 16" rectangle for pillow backs.
1. Cut two 16 3/4" x 2 1/4" strips and two 20" x 2/14" strips for flange pieces. Trim end of flange strips diagonally.
- Cut one or two 8 1/2" x 3" rectangle from each print D58-A, D59-A, D61-G, D57-G, D58-C, and D62-A. Cut two 4 1/2" x 3" rectangles from D57-A and four from D62-G. Follow the photo for color placement or arrange them as you desire.
3. Stitch all seams right sides together using 1/4" seam allowance unless indicated. Stitch the rectangles in each row together along short edges. See figure below.



4. Mark the center of the side edge of each large rectangle. Pin the rows together matching the mark to the seam line of the adjacent row. Use a seam allowance slightly wider than 1/4" to sew these seams. Finished piece should measure 16 1/2" x 12 1/2". See figure below.




COURTESY OF FRECKLE + LOLLIE



Directions

Stitch the short flange strips to the side of the pillow center starting and stopping stitching 1/4" from ends. Then stitch the long flange strips to the top and bottom edges of the pillow center in the same manner. Stitch the diagonal edges of adjacent flange pieces together. Fold center with flanges on a diagonal right sides together, line up ends of flange and stitch. See figure below.

5.



6.


Place the quilt batting on top of the backing fabric. Center the pillow top on the batting right side up and pin the layers together.

7.

Quilt along the seamline between the flange and the pillow center. Quilt along the lines of the patchwork. Baste 3/8" from the outer edges of the flange.

8.

Turn under 1" again on one 16" side edge of the pillow back pieces. Stitch hems in place along inner edge.




COURTESY OF FRECKLE + LOLLIE



Directions


9. Overlap the hemmed edges of the larger back over the hemmed edge of the smaller piece so the back is 20" wide. Baste pieces together 1/2" from top and edges. Stitch 2" along edge of hem to top and bottom of edge. See figure below.



10. With right sides together, stitch front and back together 1/2" from outer edge. Clip corners and turn right side out. See figure below.



11. Stitch along seamline between pillow center and flange. See figure below. Place pillow insert inside.



COURTESY OF FRECKLE + LOLLIE