



4th of July Tablescape

SKILL LEVEL: Beginner

CRAFTING TIME: One Weekend

COURTESY OF FABRIC TRADITIONS



Supplies & Tools

Table Runner Supplies

- 2 yds pattern 3944-NS for Table Runner Top and Bottom
- 2 yds one sided fusible interfacing by Fairfield World
- Basic Sewing Supplies
- Sewing Machine and matching thread

Placemat Supplies

- 2 yds pattern 13792-N7 for Placemat Top
- 2 yds pattern 11736-W for Placemat Bottom
- 2 yds one sided fusible interfacing by Fairfield World
- Sewing Machine and matching thread
- Basic Sewing Supplies (Scissors, Ruler, sewing needles, pins)

Fabric Napkins Supplies

- 1 yd pattern 18980-C for Napkins
- Sewing Machine and matching thread
- Basic Sewing Supplies (Scissors, Ruler, sewing needles, pins)

COURTESY OF FABRIC TRADITIONS

FOR MORE PROJECTS AND INSPIRATION PLEASE VISIT US AT WWW.FABRICTRADITIONS.COM AND
FOLLOW US ON INSTAGRAM @FABRIC_TRADITIONS

Directions

Table Runner Directions

1. Cut two 15 inch by 73 inch rectangles out of pattern 3944-NS and one 14 inch by 72 inch rectangle out of your interfacing.

Lay the fusible interfacing on the wrong side of one of your table runner pieces making sure the interfacing is stick side down. Iron on the interfacing, flip over and iron again. This will help make sure the interfacing is completely fused to the fabric.
3. Lay your fused 3944-NS piece right side facing up and layer your second 3944-NS on top with right sides together. Pin all around leaving a 5 inch gap on one of the long sides for turning. Stitch around the edges using a ½ inch seam allowance.
4. Clip the corners of the table runner for less bulk and turn right sides out. Make sure to poke out the corners of the runner.
5. Tuck in the gap, pin, press and slip stitch shut.
6. Top stitch all around the runner using ¼ inch seam allowance.
7. Place on your table, decorate, and ENJOY!

Placemat Directions

1. Cut four 18 inch by 14 inch rectangles from pattern 13792-N7, pattern 11736-W and from your fusible interfacing.

With one of your 18 inch by 14 inch rectangle pieces of pattern 11736-W, place it face down on a flat surface. Add one of your fusible interfacing pieces to the wrong side, making sure the fusible part is face down. Iron in place. Repeat this step for the remaining 3 rectangles for pattern 11736-W
3. Place one rectangle of pattern 11736-W right side up and pattern 13792-N7 on top right side face down to make sure right sides are together. Pin all the way around and stitch using a ½ inch seam allowance making sure sure to leave a 3 inch gap on one of the longer sides of the rectangle.

COURTESY OF FABRIC TRADITIONS



Directions

4. Clip your corners and turn right side out making sure to poke out the corners.
5. Tuck in the gap, pin, press, and slip stitch shut.
6. Top stitch all around the runner using a $\frac{1}{4}$ inch seam allowance.
7. Place on your table with the table runner and ENJOY!

Fabric Napkin Directions

1. Cut four 15 inch by 15 inch squares from pattern 18980-C.
2. Take one of your squares and place wrong sides up onto a flat surface. Fold each side $\frac{1}{4}$ of an inch in, press flat, then fold in another $\frac{1}{4}$ inch and press flat again.
3. Unfold and clip at an angle from the corner both horizontally and vertically.
4. Fold in your edges again at $\frac{1}{4}$ inch and another $\frac{1}{4}$ inch, press and pin.
5. Stitch using a $\frac{1}{4}$ inch seam allowance, this should be close to the inner edge of the fold.
6. Fold to your liking and place on your table with your placemats and table runner. ENJOY!

COURTESY OF FABRIC TRADITIONS